


# 300ft Platform Supply Vessel DP-2 - 15690



Ocean Marine Brokerage Service |  
Louisiana  
(985) 448-0409 / Fax: (985) 302-0984

**Vessel # 15690 / SC**

**Contact: Nick Kokinos -  
nick@oceanmarine.com**

## REGISTRATION

|                          |                          |
|--------------------------|--------------------------|
| <b>YEAR BUILT:</b>       | 2013                     |
| <b>BUILDER:</b>          | LA Ship                  |
| <b>FLAG:</b>             | US                       |
| <b>CLASSIFICATION:</b>   | ABS,A1, HSC,AMS,DPS2,L&I |
| <b>CONSTRUCTION:</b>     | Steel                    |
| <b>GROSS / NET TONS:</b> | 3240 / 1420              |
| <b>CERTIFIED:</b>        | Yes                      |
| <b># OF PASSENGERS:</b>  | 29                       |
| <b>LOADLINE:</b>         | ABS Loadline             |

## LOCATION

|                  |           |
|------------------|-----------|
| <b>LOCATION:</b> | U.S. Gulf |
|------------------|-----------|

## DIMENSIONS

|               |                       |
|---------------|-----------------------|
| LENGTH:       | 280 FT. / 91.86 MT.   |
| BEAM:         | 60 FT. / 19.68 MT.    |
| DRAFT:        | 7.3 FT. / 2.23 MT.    |
| DRAFT LOADED: | 19.44 FT. / 6.38 MT.  |
| REG. LENGTH:  | 277.9 FT. / 91.17 MT. |
| EYE LEVEL:    | 0.0 FT.               |

## CAPACITIES

|                | Gal.    | M Tons | Barrels |
|----------------|---------|--------|---------|
| FUEL:          | 151622  | 542.0  | 3610.0  |
| POTABLE WATER: | 34826   | 139.0  | 829.0   |
| BALLAST:       | 264172  | 944.0  | 6290.0  |
| DECK CAPACITY: | 2800 LT |        |         |

## PERFORMANCE

|              |                               |
|--------------|-------------------------------|
| SPEED:       | 13 KTS                        |
| CONSUMPTION: | GPH: 0.0    Tons Per Day: 0.0 |

## ACCOMMODATIONS

|             |    |
|-------------|----|
| STATEROOMS: | 29 |
|-------------|----|

## MACHINERY

|                 |                                                            |
|-----------------|------------------------------------------------------------|
| MAIN ENGINES:   | 2 CAT C280-8                                               |
| HORSEPOWER:     | 6600                                                       |
| REDUCTION GEAR: | Two (2) 1350 HRV Ulstein Z-Drives                          |
| PROP:           | Two (2) 1350 HRV Ulstein Z-Drives                          |
| NOZZLE:         | No                                                         |
| GENERATORS:     | Cat C32 / John Deere<br>(3) - 910/175 KW                   |
| BOW THRUSTER:   | (2) swing up & tunnel / HP: 1200/2000                      |
| STERN THRUSTER: | (1) (1) Brunvoll FU80 LTC 2000 (Electric Driven / HP: 2000 |

## DECK EQUIPMENT

|                  |                                                                      |
|------------------|----------------------------------------------------------------------|
| CRANES:          | One (1) x 3.0 LT SWL, 30' Fixed Boom, (MCF- 530 North Pacific Crane) |
| STERN ROLLER:    | None                                                                 |
| WINCH TYPE:      | None                                                                 |
| PUSH KNEES:      | No                                                                   |
| PUSH WINCH MAKE: | Two (2) x 12,000lbs line pull                                        |

|             |      |
|-------------|------|
| RAKES:      | None |
| SPUD WELLS: | None |
| SPUD WINCH: | None |

---

## ELECTRONICS

|               |     |
|---------------|-----|
| AUTO PILOT:   | Yes |
| DEPTH FINDER: | Yes |
| PLOTTER:      | Yes |
| EPIRB:        | Yes |
| GPS:          | Yes |
| RADIO VHF:    | Yes |
| RADIO SSB:    | Yes |
| RADAR:        | Yes |

---

## OTHER EQUIPMENT

Navtex,AIS,GMDSS,SART,VSAT

---

## DESCRIPTION

Used 300ft Platform Supply Vessel(PSV) DP-2 For Sale.ABS class/loadline.SOLAS.USCG Subchapter L & I (OSV). A1,AMS,DPS2,FFV1,UWILD.Modern Nav Aids.Marine Technologies Bridge Mate Dynamic Positioning System.Two (2) Passive Type Anti-Roll Tanks. Bilge keels. FIFI. (10) 500 BBBL tanks on deck for flow back. 200 x 50ft Clear deck.