

246' DP2 Offshore Supply Vessel - File# 16577



Ocean Marine Brokerage Service |
Louisiana
(985) 448-0409 / Fax: (985) 302-0984

Vessel # 16577 / SC
Price: \$8,250,000

Contact: Nick Kokinos -
nick@oceanmarine.com

REGISTRATION

YEAR BUILT:	2010
BUILDER:	Jingjiang Nanyang Shipyard
FLAG:	Mexico
CLASSIFICATION:	ABS: +A1, FFV-1, OSV, (E), +AMS, +DPS-2
CONSTRUCTION:	Steel
GROSS / NET TONS:	2921 / 876
# OF PASSENGERS:	50

LOCATION

LOCATION:	US GULF
-----------	---------

DIMENSIONS

LENGTH:	246.06 FT. / 75.0 MT.
BEAM:	59.05 FT. / 18.0 MT.
DRAFT:	9.19 FT. / 2.8 MT.
DRAFT LOADED:	19.03 FT. / 5.8 MT.
REG. LENGTH:	0.0 FT. / 0.0 MT.
EYE LEVEL:	0.0 FT.

CAPACITIES

	Gal.	M Tons	Barrels
FUEL:	170000	608.0	4048.0
POTABLE WATER:	159000	636.0	3786.0
BALLAST:	379000	1355.0	9024.0

PERFORMANCE

CONSUMPTION:	GPH: 0.0	Tons Per Day: 0.0
--------------	----------	-------------------

ACCOMMODATIONS

STATEROOMS:	50
STATEROOMS:	23

MACHINERY

MAIN ENGINES:	2 Niagata 8L28HX
HORSEPOWER:	5920
NOZZLE:	YES
GENERATORS:	CAT 3412C (4) - 590 KW
BOW THRUSTER:	(2)Nakashima TCT-135 / HP: 1400

ELECTRONICS

AUTO PILOT:	YES
DEPTH FINDER:	Yes
PLOTTER:	YES
EPIRB:	YES
GPS:	YES
RADIO VHF:	Yes
RADIO SSB:	Yes
RADAR:	YES (2)

DESCRIPTION

246' DP2 Offshore Supply Vessel For Sale.

Fire Fighting Foam: 6,160gal / 23.3m3.

Deck Strength - 5t/m2 - 1,020lb/ft2

Main Engines (2): Niigata 8L28HX Total HP: 5,920, Z-Drives: Yes, Kort Nozzles: 2, Primary Generators (4): 590 kw 440 v 60 hz Driven by: CAT 3412C, Emergency Generators (1): 99 kw 440 v 60 hz Driven by: VOLVO D7A-T, Bow Thruster (2): Nakashima TCT-135 Driven by: 520 kW Electric Motors Total Thrust: 17.4 st 15.8 mt

Fuel Consumption Vs Speed Maximum: 18.2 m3/day (200 gph) @ 13 knots, Cruising: 10.3 m3/day (110 gph) @ 10.5 knots Economical: 6.6 m3/day (73 gph) @ 8 knots, Standby: 1.5 m3/day (16.5 gph) @ 0 knots, Range @ 10.5 Knots: 15,800 nm, Transfer Rates Fuel Oil: 440 gpm @ 260 ft 100 m3/h @ 80 m, Potable Water: 440 gpm @ 260 ft 100 m3/h @ 80 m, Drill/Ballast Water: 440 gpm @ 260 ft 100 m3/h @ 80 m, Bulk: 33.8 cfm @ 230 ft 57.4 m3/h @ 71 m, Liquid Mud: 330 gpm @ 260 ft 75 m3/h @ 80 m, Brine: 220 gpm @ 260 ft 50 m3/h @ 80 m.

Firefighting: FiFi-1, Dynamic Positioning: DP-2, Ref. Systems: 2 x MRU; 3 x DGPS 1 x Microwave-based; 1 x Laser-based, Water Maker: 1 X 25T/DAY, Mud Circulation System/ Mud Mixers: Yes/Yes, Rescue Zone: Yes, Rescue Boat: 6-MAN MOB SOLAS APPROVED, Fuel Monitoring: FUELTRAX, Reefer Sockets: 2x 440V 60A; 2x 220V 72A, Misc: MSD - 65 Persons

Details pertaining to this vessel are obtained from sources believed to be reliable, however we can not guarantee their accuracy. Buyers should instruct surveyors and agents to investigate details for validity. All offers are subject to prior sale, changes in price and / or inventory, and without notice.

NOTE: See Photos on next page

